



H  
E  
A  
T  
I  
N  
G  
  
C  
O  
N  
S  
T  
E  
L  
L  
A  
T  
I  
O  
N

# IMAS

## RADIATORS

Made in Italy to Fashion your home



# PEGASUS STEP 50

Steel Design Radiator with pipes Ø 22 and "D" collector 40X30X1.5 mm  
 Max working pressure 6 bar - Max working temperature 90°C - Inlet and outlet connection 4xG1/2" - Available: RAL 9010, CHROME  
 Radiator is delivered with complete mounting kit, 1 air vent ½


Dimensions [ L / H ] mm	THERMAL POWER (ΔT=60°C) [ W ]	PRICES IN EURO		THERMAL POWER (ΔT=60°C) [ W ]	PRICES IN EURO		Width [ mm ]	Length [ mm ]	Collector Length [ mm ]	Centers Distance [ l ]	N. Pipes	Surface [ dmp ]	Unloaded Weight [ kg ]	Water capacity [ l ]
		STRAIGHT	RADIUS		STRAIGHT	RADIUS								
		[ € ]	[ € ]		[ € ]	[ € ]								
450 x 800	401	€ 62	€ 64	340	€ 118	€ 121	450	380	800	400	12	51.24	5.0	2.9
500 x 800	434	€ 63	€ 65	367	€ 121	€ 125	500	430	800	450	12	55.38	5.3	3.1
600 x 800	498	€ 66	€ 68	422	€ 129	€ 133	600	530	800	550	12	63.66	5.9	3.4
450 x 1072	555	€ 75	€ 77	470	€ 149	€ 153	450	380	1072	400	17	70.88	6.7	3.9
500 x 1072	601	€ 77	€ 79	509	€ 154	€ 158	500	430	1072	450	17	76.75	7.2	4.2
600 x 1072	693	€ 81	€ 83	587	€ 164	€ 169	600	530	1072	550	17	88.48	8.0	4.8
450 x 1200	600	€ 80	€ 82	509	€ 158	€ 163	450	380	1200	400	18	76.68	7.3	4.3
500 x 1200	649	€ 81	€ 84	550	€ 164	€ 168	500	430	1200	450	18	82.89	7.7	4.6
600 x 1200	746	€ 86	€ 88	632	€ 175	€ 179	600	530	1200	550	18	95.31	8.7	5.1
450 x 1400	720	€ 90	€ 92	610	€ 183	€ 188	450	380	1400	400	22	91.95	8.6	5.1
500 x 1400	779	€ 92	€ 95	661	€ 189	€ 194	500	430	1400	450	22	99.54	9.2	5.5
600 x 1400	898	€ 97	€ 100	761	€ 203	€ 208	600	530	1400	550	22	114.72	10.3	6.2
500 x 1720	934	€ 106	€ 109	791	€ 220	€ 225	500	430	1720	450	26	119.24	11.0	6.6
600 x 1720	1074	€ 112	€ 115	910	€ 236	€ 242	600	530	1720	550	26	137.18	12.4	7.4
750 x 1720	1285	€ 121	€ 123	1089	€ 259	€ 266	750	680	1720	700	26	164.09	14.4	8.6



# LYRA

Steel Design Radiator with vertical pipes Ø 22x1 and horizontal collector Ø 35x1.5 - Max working pressure 6 bar - Max working temperature 90°C  
 Inlet and outlet connection 4xG1/2" - Available: RAL 9010, CHROME  
 Radiator is delivered with complete mounting kit, 1 air vent ½


Dimensions [ L / H ] mm	THERMAL POWER (ΔT=60°C) [ W ]	PRICES IN EURO		THERMAL POWER (ΔT=60°C) [ W ]	PRICES IN EURO	Width [ mm ]	Length [ mm ]	Length Collector [ mm ]	Centers Distance [ l ]	No. Tubs	Surface [ dmp ]	Unloa- ded Weight [ kg ]	Water capacity [ l ]
		WHITE	CHROME										
900 X 380	508	€ 230	€ 453	430	€ 453	380	900	380	865	9	64.85	5.4	3.2
900 X 590	789	€ 249	€ 663	668	€ 663	590	900	590	865	14	100.71	8.3	4.9
1400 X 380	751	€ 287	€ 486	636	€ 486	380	1400	380	1365	9	95.90	7.7	4.6
1400 X 590	1167	€ 317	€ 714	989	€ 714	590	1400	590	1365	14	149.01	11.9	7.1
1800 X 380	945	€ 328	€ 540	801	€ 540	380	1800	380	1765	9	120.74	9.6	5.7
1800 X 590	1469	€ 369	€ 790	1245	€ 790	590	1800	590	1765	14	187.65	14.8	8.9



# PEGASUS STEP 39

Steel Design Radiator with pipes Ø 22 and "D" collector 40X30X15 mm  
 Max working pressure 6 bar - Max working temperature 90°C - Inlet and outlet connection 3xG1/2" - Available: RAL 9010, CHROME  
 Radiator is delivered with complete mounting kit, 1 air vent ½


Dimensions [ L / H ] mm	THERMAL POWER (Δt=60°C)	PRICES IN EURO		THERMAL POWER (Δt=60°C)	PRICES IN EURO		Width [ mm ]	Length [ mm ]	Collector Length [ mm ]	Centers Distance [ l ]	N. Pipes	Surface [ dmp ]	Unloaded Weight [ kg ]	Water Capacity [ l ]
														
	WHITE [ W ]	STRAIGHT [ € ]	RADIUS [ € ]	CHROME [ W ]	STRAIGHT [ € ]	RADIUS [ € ]								
450 x 800	481	€ 67	€ 69	408	€ 133	€ 137	450	380	800	400	16	61,42	5,7	3,3
500 x 800	524	€ 69	€ 71	444	€ 138	€ 142	500	430	800	450	16	66,94	6,2	3,6
600 x 800	611	€ 72	€ 75	517	€ 147	€ 152	600	530	800	550	16	77,98	7,0	4,1
450 x 1072	675	€ 83	€ 85	572	€ 172	€ 177	450	380	1072	400	23	86,16	7,9	4,6
500 x 1072	737	€ 85	€ 88	624	€ 179	€ 184	500	430	1072	450	23	94,09	8,5	5,0
600 x 1072	861	€ 91	€ 93	730	€ 193	€ 198	600	530	1072	550	23	109,96	9,7	5,7
450 x 1200	720	€ 87	€ 90	610	€ 181	€ 186	450	380	1200	400	24	91,96	8,5	5,0
500 x 1200	785	€ 90	€ 93	665	€ 188	€ 193	500	430	1200	450	24	100,24	9,1	5,4
600 x 1200	915	€ 96	€ 98	775	€ 203	€ 209	600	530	1200	550	24	116,80	10,3	6,1
450 x 1400	860	€ 99	€ 102	728	€ 210	€ 215	450	380	1400	400	29	109,77	10,0	5,9
500 x 1400	938	€ 102	€ 105	795	€ 218	€ 224	500	430	1400	450	29	119,78	10,8	6,4
600 x 1400	1095	€ 109	€ 112	928	€ 236	€ 242	600	530	1400	550	29	139,79	12,3	7,3
500 x 1720	1183	€ 119	€ 125	1002	€ 265	€ 272	500	430	1720	450	37	151,04	13,5	8,0
600 x 1720	1383	€ 127	€ 133	1172	€ 288	€ 295	600	530	1720	550	37	176,57	15,4	9,2
750 x 1720	1682	€ 139	€ 146	1426	€ 322	€ 329	750	680	1720	700	37	214,86	18,3	11,0



# DRAGON

Steel Design Radiator with pipes Ø 18X1 and collector Ø 35X15 - Max working pressure 6 bar - Max working temperature 90°C - Inlet and outlet connection 4xG1/2" - Available: RAL 9010, CHROME, STAINLESS STEEL  
 Radiator is delivered with complete mounting kit, 1 air vent ½

Dimensions [ L / H ] mm	THERMAL POWER (Δt=60°C)	PRICES IN EURO		THERMAL POWER (Δt=60°C)	PRICES IN EURO		Width [ mm ]	Length [ mm ]	Centers Distance [ l ]	Wavy lines	Surface [ dmp ]	Unloaded Weight [ kg ]	Water Capacity [ l ]
		WHITE [ W ]	CHROME [ W ]		STAINLESS STEEL [ W ]	CHROME [ W ]							
1000 x 500	402	€ 185	341	€ 257	372	€ 415	500	1000	72	9	51,37	4,7	2,7
1400 x 650	657	€ 241	557	€ 341	609	€ 554	650	1400	72	13	83,97	7,5	4,1



# HYDRA

Steel Design Radiator with pipes Ø 22X1 and collector Ø 38X1.5 - Max working pressure 6 bar - Max working temperature 90°C - Inlet and outlet connection 4xG1/2" Available: STAINLESS STEEL Radiator is delivered with complete mounting kit, 1 air vent ½

Dimensions [ L / H ] mm	THERMAL POWER (ΔT=60°C)	PRICES IN EURO	PRICES IN EURO	Width [ mm ]	Length collector [ mm ]	Centers Distance [ l ]	No. Tubs	Unloaded Weight [ kg ]	Surface [ dmp ]
	STAINLESS STEEL [ W ]	FLAT	RADIUS						
750 x 480	443	€ 437	€ 494	480	750	442	15	8.0	61.06
750 x 600	533	€ 547	€ 618	600	750	562	15	9.4	73.48
1120 x 480	652	€ 581	€ 660	480	1120	442	22	11.8	89.88
1120 x 600	784	€ 758	€ 856	600	1120	562	22	13.8	108.10
1700 x 480	980	€ 852	€ 965	480	1700	442	33	17.7	135.14
1700 x 600	1178	€ 1.139	€ 1.286	600	1700	562	33	20.7	162.47



Steel Design radiator with steel pipes Ø 18X1 and collector Ø 35X1.5 Max working pressure 6 bar - Max working temperature 90°C Inlet and outlet connection 4xG1/2" - Available: RAL 9010, CHROME Radiator is delivered with complete mounting kit, 1 air vent ½

# VEGAS

Dimensions [ L / H ] mm	THERMAL POWER (ΔT=60°C)	PRICES IN EURO	THERMAL POWER (ΔT=60°C)	PRICES IN EURO	Width [ mm ]	Length [ mm ]	Centers Distance [ l ]	Surface [ dmp ]	Unloaded Weight [ kg ]	Water capacity [ l ]
	WHITE [ W ]		CHROME [ W ]							
600 X 850	525	€ 314	445	€ 425	600	850	150	67.06	5.9	3.1
600 X 1450	900	€ 409	763	€ 557	600	1450	150	114.92	10.1	4.0

# RODO

Steel Design Radiator with horizontal pipes Ø 22X1 mm and vertical square collector 30X30X1.5 - Max working pressure 6 bar - Max working temperature 90°C Inlet and outlet connection 4xG1/2" - Available: STAINLESS STEEL Radiator is delivered with complete mounting kit, 1 air vent ½

Dimensions [ L / H ] mm	THERMAL POWER (ΔT=60°C)	PRICES IN EURO	Width [ mm ]	Length [ mm ]	No. Tubs	Surface [ dmp ]	Unloaded Weight [ kg ]	Water capacity [ l ]
	STAINLESS STEEL [ W ]							
500 X 1500	982	€ 810	500	1500	20	135.25	12.0	6.5
500 X 1800	1225	€ 992	500	1800	26	168.99	14.9	8.1



Steel Design Radiator with pipes Ø 22X1 and square collector 30X30X1.5 Max working pressure 6 bar - Max working temperature 90°C Inlet and outlet connection 4xG1/2" - Available: STAINLESS STEEL Radiator is delivered with complete mounting kit, 1 air vent ½

# SMART



SMART									
Dimensions [ L / H ] mm	THERMAL POWER (ΔT=60°C)	PRICES IN EURO	Width [ mm ]	Height [ mm ]	Depth [ mm ]	N. Pipes	Unloaded Weight [ kg ]	Water capacity [ l ]	
	STAINLESS STEEL [ W ]								
600 X 320 X 250	350	€ 481	600	320	250	4	4.3	2.7	

DEALER:



NUOVA IMAS Srl - 31020 S. Zenone degli Ezzelini (Treviso) Italy  
Street Roma, 163 - Tel. 0039 0423 968402 - Fax 0039 0423 567216  
P.O. Box 4 - www.imasradiators.com - E-mail: info@imasradiators.com